


**SURFACE WATER, DEPOSITIONAL DUST,  
HVAS AND METEOROLOGICAL MONITORING**

**Prepared for Pine Dale Mine Community Consultative Committee**

**Prepared by RCA Australia**

**RCA ref 6880-1743/0**

**June 2017**



## RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294


Telephone: +61 2 4902 9200

Facsimile: +61 2 4902 9299

Email: [administrator@rca.com.au](mailto:administrator@rca.com.au)

Internet: [www.rca.com.au](http://www.rca.com.au)

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

DOCUMENT STATUS						
Rev No	Comment	Author	Reviewer	Approved for Issue (Project Manager)		
				Name	Signature	Date
/0	Final	C Rocher	K Tripp	K Tripp		17.07.17

DOCUMENT DISTRIBUTION				
Rev No	Copies	Format	Issued to	Date
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin <a href="mailto:graham.goodwin@energyaustralia.com.au">graham.goodwin@energyaustralia.com.au</a>	17.07.17
/0	1	Electronic (email)	EnergyAustralia- Mark Frewin <a href="mailto:mark.frewin@energyaustralia.com.au">mark.frewin@energyaustralia.com.au</a>	17.07.17
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir <a href="mailto:andrew.muir@lithgow.nsw.gov.au">andrew.muir@lithgow.nsw.gov.au</a>	17.07.17
/0	1	Electronic report	RCA – job archive	17.07.17



RCA LE ref 6880-1743/0



17 July 2017

Pine Dale Mine  
PO Box 202  
WALLERAWANG NSW 2845

Attention Mr Graham Goodwin

---

**REPORT COMPILED FOR  
PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE  
DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST,  
HVAS AND METEOROLOGICAL MONITORING  
JUNE 2017**

---

## 1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of June 2017.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

## 2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental (NATA Accreditation number 9811) are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. ALS Environmental has been used to obtain analysis of anions, cations and dissolved metals (NATA Accreditation number 825).

**Table 1** Analytical Test Methods

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON-NATA
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m <sup>3</sup>	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m <sup>2</sup> .month	RCA Laboratories – Environmental	NATA Analysis
pH	ENV-LAB006	pH	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	µS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO <sub>4</sub> )	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

### 3 WATER MONITORING RESULTS

#### 3.1 GROUNDWATER

A total of 2 on-site groundwater samples were collected during the month of June 2017. Sampling at Bores P2, P3 and P7a are no longer required under the new sampling regime undertaken in accordance with Project Approval (PA 10\_0041) and the Pine Dale Mine Water Management Plan (August 2015). This sampling regime commenced 1 August 2013. Water quality analysis results are shown in **Table 2**.

**Table 2** Groundwater Analysis Results – Monthly Monitoring

ANALYSIS	UNITS	P6	P7
Sample Number	-	06176880009	06176880010
Date Sampled	-	08/06/17	8/06/17
Time Sampled	-	17:07	12:45
Depth to Water from Surface	m	25.25	6.87
Water Level (AHD)	m	891.70	887.53
Temperature	°C	15.0	16.0
pH	pH	6.17	6.52
Conductivity	µS/cm	<b>1410</b>	<b>860</b>
Turbidity	NTU	69	
Dissolved Oxygen	mg/L	3.2	
TSS	mg/L	58	
Oil and Grease	mg/L	<5	
Bicarbonate Alkalinity (CaCO <sub>3</sub> )	mg/L	61	
Total Alkalinity (CaCO <sub>3</sub> )	mg/L	61	
Sulfate (as SO <sub>4</sub> )	mg/L	556	
Chloride	mg/L	30	
Calcium	mg/L	128	
Magnesium	mg/L	57	
Sodium	mg/L	48	
Potassium	mg/L	18	
Cobalt (dissolved)	mg/L	0.068	
Manganese (dissolved)	mg/L	2.58	
Nickel (dissolved)	mg/L	0.1	
Zinc (dissolved)	mg/L	0.193	
Iron (dissolved)	mg/L	24.6	
<b>Trigger Levels</b>			
pH trigger level	pH	6.2 – 8.0	6.3 – 8.0
Conductivity trigger level	µS/cm	1180	852
Water Level (AHD) #	m	887.90	883.28

**NOTES:** \*Depth relative to ground level (not standpipe height).

■ Indicates analysis was not required

Results shown in **italics** indicates exceedance of trigger level

Groundwater monitoring locations are shown in **Appendix 1**.

### 3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface water monitoring was not required to be undertaken during the June 2017 monitoring event at three surface water sites (EPA Point 2, 3 and 14). Routine quarterly monitoring is scheduled to be undertaken in August 2017.

## 4 AIR QUALITY MONITORING RESULTS

### 4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2015, AS/NZS 3580.9.6:2015 and AS/NZS 3580.1.1:2016.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**. PM<sub>10</sub> Suspended Particulate Matter results are shown in **Table 4**.

**Table 3** Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$  0°C 101.3 kPa)

RUN DATE	TSP ( $\mu\text{g}/\text{m}^3$ )	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
05-Jun-17	13	06176880029	9420577	09-Jun-17	11:15	Client	24.00
11-Jun-17	3	06176880031	9417869	12-Jun-17	11:49	Client	24.00
17-Jun-17	12	06176880033	9417871	19-Jun-17	12:20	Client	24.00
23-Jun-17	18	06176880035	9417873	27-Jun-17	6:37	Client	24.00
29-Jun-17	12	06176880037	9417875	30-Jun-17	17:05	Client	24.00

**Table 4** Suspended Particulate Matter PM<sub>10</sub> ( $\mu\text{g}/\text{m}^3$  0°C 101.3 kPa)

RUN DATE	PM <sub>10</sub> ( $\mu\text{g}/\text{m}^3$ )	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
05-Jun-17	7	06176880030	9420578	09-Jun-17	11:20	Client	24.00
11-Jun-17	1	06176880032	9417870	12-Jun-17	11:54	Client	23.37
17-Jun-17	7	06176880034	9417872	19-Jun-17	12:25	Client	24.00
23-Jun-17	7	06176880036	9417874	27-Jun-17	6:42	Client	24.00
29-Jun-17	6	06176880038	9417876	30-Jun-17	17:10	Client	24.00

#### 4.1.1 TSP Summary

The NSW EPA Annual Mean TSP allowable limit is  $90\mu\text{g}/\text{m}^3$ . All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from July 2016 to June 2017) for the TSP unit is  $19.8\mu\text{g}/\text{m}^3$ , which is well below the allowable limit of  $90\mu\text{g}/\text{m}^3$ .

#### 4.1.2 PM<sub>10</sub> Summary

The NSW EPA 24h Maximum PM<sub>10</sub> allowable limit is  $50\mu\text{g}/\text{m}^3$ . The EPA Annual Mean PM<sub>10</sub> allowable limit is  $25\mu\text{g}/\text{m}^3$ . All PM<sub>10</sub> HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the PM<sub>10</sub> unit is  $9.7\mu\text{g}/\text{m}^3$ , which is below the allowable limit of  $25\mu\text{g}/\text{m}^3$ . The 24 hour maximum allowable limit of  $50\mu\text{g}/\text{m}^3$  was not exceeded during the month of June 2017.

#### 4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**.

Graphical HVAS results presentations are shown in **Appendix 2**.

## 4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2016 and AS/NZS 3580.1.1:2016. Depositional Dust monitoring results are shown in **Table 5**.

**Table 5** *Depositional Dust Monitoring - Deposited Matter – June 2017*

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m <sup>2</sup> .month)	ASH (g/m <sup>2</sup> .month)	COMBUSTIBLE MATTER (g/m <sup>2</sup> .month)
06176880019	D1	11/05/2017	8/06/2017	28	IT	0.4	0.2	0.2
06176880020	D2	11/05/2017	8/06/2017	28	I	0.1	<0.1	0.1
06176880021	D3	11/05/2017	8/06/2017	28	I	0.1	<0.1	0.1
06176880022	D4	11/05/2017	8/06/2017	28	I	0.2	<0.1	0.2
06176880023	D5	11/05/2017	8/06/2017	28	I	0.2	<0.1	0.2
06176880024	D6	11/05/2017	8/06/2017	28	I	0.2	<0.1	0.2

Glossary of Terms Used in Notes:

I Insects (eg, Ants, Spiders)

IT Insects and tree litter

### 4.2.1 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m<sup>2</sup> per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to 0.9g/m<sup>2</sup> per month, which is below the allowable Annual Average Long Term Limit of 4g/m<sup>2</sup> per month.

Depositional Dust monitoring locations are shown in **Appendix 1**. Graphical Depositional Dust results are shown in **Appendix 2**.

## 5 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

## 6 NOISE MONITORING RESULTS

Routine quarterly noise monitoring was not required to be undertaken this month. The next round of noise monitoring is due to be undertaken in July 2017.

## 7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since April 2014.

## 8 SUMMARY

During the month of June 2017 environmental monitoring constituents were found to be generally in compliance with EPL 4911 with the exception of electrical conductivity in the groundwater samples.

Standing water levels within the site groundwater bores were compliant with their respective trigger levels. The pH at both bores P6 and P7 was compliant with the respective trigger levels range. The electrical conductivity at both bores P6 and P7 exceeded the respective trigger level.

Rolling annual averages from both the TSP and PM<sub>10</sub> High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM<sub>10</sub> criterion of 90µg/m<sup>3</sup> and 25µg/m<sup>3</sup> respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m<sup>2</sup>.month based upon a rolling average of the past 12 months.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

*This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.*

Please contact the undersigned if you have any queries.

Yours sincerely



Carmen Rocher  
Environmental Engineer  
RCA Australia Pty Ltd





Karen Tripp  
Senior Environmental Scientist/Hygienist  
RCA Australia Pty Ltd



# Appendix 1

---


Surface Water Groundwater and Air Quality  
Monitoring Locations



Locality Plan  
N.T.S.

- LEGEND**
- Surface water monitoring location
  - Groundwater monitoring location
  - Enhance groundwater monitoring location
  - Meteorological monitoring location


Aerial Image taken from Google Earth,  
November 12 2014




**PINE DALE MINE  
SURFACE AND GROUND WATER  
MONITORING LOCATION PLAN**

CLIENT	Pine Dale Mine	RCA Ref	6880-888/0
DRAWN BY	KT	SCALE	1 : 20,000 (A3)
APPROVED BY	KT	DATE	27/8/2015
		DRAWING No	1
		REV	0
		OFFICE	NEWCASTLE

G:\Projects\2015\150000\150000.dwg



COT-DWC-ASH-001/1



Locality Plan  
N.T.S.


- LEGEND**
- Depositional dust monitoring location
  - High volume air sampling location
  - Meteorological monitoring location

Aerial Image taken from Google Earth,  
November 12 2014



**PINE DALE MINE  
DEPOSITIONAL DUST AND HVAS  
MONITORING LOCATION PLAN**

CLIENT	Pine Dale Mine	RCA Ref	6880-888/0
DRAWN BY	KT	SCALE	1 : 20,000 (A3)
APPROVED BY	KT	DATE	27/8/2015
		DRAWING No	2
		REV	0
		OFFICE	NEWCASTLE



Locality Plan  
N.T.S.

- LEGEND**
- Noise monitoring location
  - Meteorological monitoring location

Aerial Image taken from Google Earth,  
November 12 2014



			<b>PINE DALE MINE NOISE MONITORING LOCATION PLAN</b>		
CLIENT	Pine Dale Mine		RCA Ref	6880-888/0	
DRAWN BY	KT	SCALE	1 : 20,000 (A3)	DRAWING No	3 REV 0
APPROVED BY	KT	DATE	27/8/2015	OFFICE	NEWCASTLE


2015-08-27 10:00:00

# Appendix 2


---



Depositional Dust and HVAS Graphs

**Pine Dale Mine  
Depositional Dust Gauge Comparative Results  
May to June 2017**



**Pine Dale Mine  
Deposited Matter - Insoluble Solids 12 Months Comparative Results  
July 2016 to June 2017**







# Appendix 3


---

Meteorological Data








**Neubecks Creek - Blackmans Flat NSW**  
**Average Depth & Velocity vs. Rainfall- Period: 1/6/2017 to 30/6/2017**




**Blackmans Flat NSW**  
**Daily Humidity Variations - Period: 1/6/2017 to 30/6/2017**





# Blackmans Flat Windrose

1/06/2017 to 30/06/2017



Source data:  
Metford.SCM  
10 minately data - Ave WndDir (deg)  
10 minately data - Ave WindSpd (m/sec)