

## Pine Dale Mine EPA Compliance Data

### M5 Monitoring of Pollution Complaints - Summary

#### Number of Pollution Complaints

Pollution Category	Number of Complaints
Air	0
Water	0
Noise	0
Waste	0
Blast	1

**Notes:**

Refer to Complaints register section of Enhance Place Pine Dale Mine website for further details.



**EnergyAustralia**  
16 June 2013

### M2 Requirement to Monitor Concentration of Pollutants Discharged

#### M2.2 Air Monitoring Requirements

	EPL Point 6	EPL Point 7	EPL Point 8	EPL Point 10	EPL Point 11	EPL Point 12
	Dust Gauge D1	Dust Gauge D2	Dust Gauge D3	Dust Gauge D4	Dust Gauge D5	Dust Gauge D6
Sample results for month of June 2013 (g/m <sup>2</sup> /mth)	0.3	0.5	0.4	0.2	0.4	1
No of Samples required by licence -year to date	12	12	12	12	12	12
No of Samples collected & analysed -year to date	7	7	7	7	7	7
Lowest Sample value -year to date (g/m <sup>2</sup> /mth)	0.3	0.5	0.4	0.2	0.4	0.3
Mean of samples -year to date (g/m <sup>2</sup> /mth)	1.0	0.7	0.9	0.7	0.6	0.8
Highest sample value -year to date (g/m <sup>2</sup> /mth)	2.4	1.0	1.3	1.5	0.9	1.4

		EPL Point 9	EPL Point 9
		HVAS TSP	HVAS PM10
Sample results for month of June 2013 (µg/m <sup>3</sup> )	2-Jun-13	9	3
	8-Jun-13	10	5
	14-Jun-13	3	1
	20-Jun-13	25	13
	26-Jun-13	6	4
No of Samples required by licence -year to date		61	36
No of Samples collected & analysed -year to date		36	36
Lowest Sample value -year to date (µg/m <sup>3</sup> )		3	1
Mean of samples -year to date (µg/m <sup>3</sup> )		23.1	10.9
Highest sample value -year to date (µg/m <sup>3</sup> )		62	30

**Notes:**

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

## Pine Dale Mine EPA Compliance Data

### M2.3 Water Monitoring Requirements

		EPL Point 2	EPL Point 3	EPL Point 14
		Neubecks Creek Upstream of Flow Gauge	Neubecks Creek Downstream from Offices	Cox's River Downstream of Blue Lake
Sample results* for Month of June 2013	pH	NA	NA	NA
	Conductivity (µS/cm)	NA	NA	NA
	Sulphate (mg/L)	NA	NA	NA
	Iron (filterable)	NA	NA	NA
	TSS (mg/L)	NA	NA	NA
	Turbidity (NTU)	NA	NA	NA
No of Samples required by licence -year to date		4	4	4
No of Samples collected & analysed -year to date		3	3	3

**Notes:**

NA - no samples required for monitoring period.

\* Pine Dale Mine does not have water quality licence limits for ambient water quality monitoring of Points 2, 3 & 14 in its EPL.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

		EPL Point 4	EPL Point 5	EPL limit
		Wallerawang Colliery No. 1A Mine Entry	Wallerawang Colliery Punch Mine Entry	
Sample results for Month of June 2013	pH	NA	NA	6.5 - 8.5
	Conductivity (µS/cm)	NA	NA	
	Sulphate (mg/L)	NA	NA	
	Iron (filterable)	NA	NA	
	TSS (mg/L)	NA	NA	50
	Turbidity (NTU)	NA	NA	
	Oil & Grease (mg/L)	NA	NA	10
No of Samples required by licence -year to date		NA	NA	
No of Samples collected & analysed -year to date		NA	NA	

**Notes:**

NA - no samples required for monitoring period.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations



EnergyAustralia  
16 June 2013

## Pine Dale Mine EPA Compliance Data



EnergyAustralia

16 June 2013

		EPL Point 13	
		Wallerawang Colliery No. 1A Mine Entry	EPL 100 percentile concentration limit
Sample results for Month of June 2013	pH	NA	6.5 - 8.5
	Conductivity (µS/cm)	NA	
	Sulphate (mg/L)	NA	
	Iron (filterable)	NA	
	TSS (mg/L)	NA	30
	Turbidity (NTU)	NA	
	Oil & Grease (mg/L)	NA	10
No of Samples required by licence -year to date		NA	
No of Samples collected & analysed -year to date		NA	

**Notes:**

NA - no samples required for monitoring period.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

### L4 Noise Limits

	Location	Daytime Noise Level recorded dB (LAeq 15 minute)	PDM Noise Contribution (LAeq 15 minute)	Daytime Noise Limit dB (LAeq 15 minute)
Results for June 2013	NM1 (EPL Ref No. 33)	NA	NA	42
	NM2 (EPL Ref No. 14)	NA	NA	42
	NM3 (EPL Ref No. 10)	NA	NA	42
	NM4 (EPL Ref No. 5)	NA	NA	35
	NM5 (EPL Ref No. 4)	NA	NA	35
	NM6 (EPL Ref No. 2)	NA	NA	35

**Notes:**

NA - no monitoring required during this month.

Noise monitoring is conducted at the same sites as Depositional Dust monitoring. Refer to Community Consultive Monthly Reports for Maps of Sample Locations

## Pine Dale Mine EPA Compliance Data



**EnergyAustralia**  
16 June 2013

### L5 Blasting

Date	Park Street Blackmans Flat		Noon St.		Summer St.	
	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)
6/06/2013	NT	NT	111.9	1.32	113.3	1.22
14/06/2013	NT	NT	78.3	1.74	87.2	1.95
21/06/2013	NT	NT	106.6	1.45	104.5	1.27

**Notes:**

NT - no trigger of monitoring equipment recorded at this monitoring location.

**EPL Blasting Limit for 95% of blasts:**

- Airblast overpressure level of **115dB**
- Ground vibration peak velocity of **5mm/sec**

**EPL Blasting Limit for 100% of blasts:**

- Airblast overpressure level of **120dB**
- Ground Vibration peak velocity of **10mm/sec**

### M4 Weather Monitoring

Parameter required to be monitored	Monitoring Period Required	Compliance Achieved this Month
Air Temperature	Continuous	Yes
Wind Direction	Continuous	Yes
Wind Speed	Continuous	Yes
Sigma theta	Continuous	Yes
Rainfall	Continuous	Yes
Relative Humidity	Continuous	Yes

**Notes:**

Refer to Community Consultive Committee Report for Weather Monitoring Data.