


**SURFACE WATER, DEPOSITIONAL DUST,
HVAS AND METEOROLOGICAL MONITORING**

Prepared for Pine Dale Mine Community Consultative Committee

Prepared by RCA Australia

RCA ref 6880-894/0

October 2015



RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294


Telephone: +61 2 4902 9200

Facsimile: +61 2 4902 9299

Email: administrator@rca.com.au

Internet: www.rca.com.au

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

DOCUMENT STATUS						
Rev No	Comment	Author	Reviewer	Approved for Issue (Project Manager)		
				Name	Signature	Date
/0	Final	C Rocher	K Tripp	K Tripp		16.11.15

DOCUMENT DISTRIBUTION				
Rev No	Copies	Format	Issued to	Date
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin graham.goodwin@energyaustralia.com.au	16.11.15
/0	1	Electronic (email)	EnergyAustralia- Mark Frewin mark.frewin@energyaustralia.com.au	16.11.15
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir andrew.muir@lithgow.nsw.gov.au	16.11.15
/0	1	Electronic report	RCA – job archive	16.11.15



RCA LE ref 6880-894/0



16 November 2015

Pine Dale Mine
PO Box 202
WALLERAWANG NSW 2845

Attention: Mr Graham Goodwin

**REPORT COMPILED FOR
PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE
DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST,
HVAS AND METEOROLOGICAL MONITORING
OCTOBER 2015**

1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of October 2015.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. When an external testing laboratory is used to obtain the analysis of samples which become a part of this report, then the details of that laboratory's official report will be attached in an Appendix.

Table 1 *Analytical Test Methods*

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON-NATA ANALYSIS
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m ³	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m ² .month	RCA Laboratories – Environmental	NATA Analysis
pH	ENV-LAB006	pH	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	µS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO ₄)	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

3 WATER MONITORING RESULTS

3.1 GROUNDWATER

A total of 2 on-site groundwater samples were collected during the month of October 2015. Sampling at Bores P2, P3 and P7a are no longer required under the new sampling regime undertaken in accordance with Project Approval (PA 10_0041) and the Pine Dale Mine Water Management Plan (Report No. 613/20). This sampling regime commenced 1 August 2013. Water quality analysis results are shown in **Table 2**.

Table 2 Groundwater Analysis Results

ANALYSIS	UNITS	P6	P7
Sample Number	-	10156880009	10156880010
Date Sampled	-	08/10/15	08/10/15
Time Sampled	-	10:21	9:53
Depth to Water from Surface*	m	25.86	6.60
Water Level (AHD)	m	891.09	887.80
Temperature	°C	15.0	14.5
pH	pH	6.29	6.28
Conductivity	µS/cm	1153	709
Turbidity	NTU	59	
Dissolved Oxygen	mg/L	8.8	
TSS	mg/L	36	
Oil & Grease	mg/L	<2	
Bicarbonate Alkalinity (CaCO ₃)	mg/L	36	
Total Alkalinity (CaCO ₃)	mg/L	36	
Sulfate (as SO ₄)	mg/L	668	
Chloride	mg/L	32	
Calcium	mg/L	128	
Magnesium	mg/L	65	
Sodium	mg/L	59	
Potassium	mg/L	20	
Cobalt (dissolved)	mg/L	0.060	
Manganese (dissolved)	mg/L	2.53	
Nickel (dissolved)	mg/L	0.107	
Zinc (dissolved)	mg/L	0.248	
Iron (dissolved)	mg/L	19.1	

NOTES: *Depth relative to ground level (not standpipe height).

■ Indicates analysis was not required

Groundwater monitoring locations are shown in **Appendix 1**.

3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface water sampling was not scheduled to be undertaken this month. Quarterly surface water monitoring is next scheduled to be undertaken in November 2015.

4 AIR QUALITY MONITORING RESULTS

4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2015, AS/NZS 3580.9.6:2003 and AS/NZS 3580.1.1:2007.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**.

PM₁₀ Suspended Particulate Matter results are shown in **Table 4**.

Table 3 Total Suspended Particulates ($\mu\text{g}/\text{m}^3$ 0°C 101.3 kPa)

RUN DATE	TSP ($\mu\text{g}/\text{m}^3$)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
02-Oct-15	32	10156880029	9100543	06-Oct-15	6:48	Client	24.00
08-Oct-15	20	10156880031	9167319	09-Oct-15	6:45	Client	24.00
14-Oct-15	16	10156880033	9167321	16-Oct-15	15:25	Client	72.00
20-Oct-15	17	10156880035	9167323	22-Oct-15	6:12	Client	48.00
26-Oct-15	24	10156880037	9167327	28-Oct-15	6:20	Client	24.00
Assessment Criteria	90	EPA Annual Mean TSP allowable limit ($90\mu\text{g}/\text{m}^3$)					

Table 4 Suspended Particulate Matter PM₁₀ ($\mu\text{g}/\text{m}^3$ 0°C 101.3 kPa)

RUN DATE	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
02-Oct-15	13	10156880030	9100544	06-Oct-15	6:52	Client	24.00
08-Oct-15	14	10156880032	9167320	09-Oct-15	6:50	Client	24.00
14-Oct-15	14	10156880034	9167322	16-Oct-15	15:30	Client	24.00
20-Oct-15	12	10156880036	9167324	22-Oct-15	6:15	Client	24.00
26-Oct-15	9	10156880038	9098682	28-Oct-15	6:25	Client	24.00
Assessment Criteria	50	EPA 24-hour PM10 allowable limit ($50\mu\text{g}/\text{m}^3$)					
	30	EPA Annual Mean PM10 allowable limit ($30\mu\text{g}/\text{m}^3$)					

4.1.1 TSP Summary

The EPA Annual Mean TSP allowable limit is $90\mu\text{g}/\text{m}^3$. All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from November 2014 to October 2015) for the TSP unit is $19.0\mu\text{g}/\text{m}^3$, which is well below the allowable limit of $90\mu\text{g}/\text{m}^3$.

4.1.2 PM₁₀ Summary

The EPA 24h Maximum PM₁₀ allowable limit is $50\mu\text{g}/\text{m}^3$. The EPA Annual Mean PM₁₀ allowable limit is $30\mu\text{g}/\text{m}^3$. All PM₁₀ HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the PM₁₀ unit is $9.1\mu\text{g}/\text{m}^3$, which is below the allowable limit of $30\mu\text{g}/\text{m}^3$. The 24 hour maximum allowable limit of $50\mu\text{g}/\text{m}^3$ was not exceeded during the month of October 2015.

4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**.

Graphical HVAS results presentations are shown in **Appendix 2**.

4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2003 and AS/NZS 3580.1.1:2007. Depositional Dust monitoring results are shown in **Table** .

Table 5 *Depositional Dust Monitoring - Deposited Matter October 2015*

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m ² .month)	ASH (g/m ² .month)	COMBUSTIBLE MATTER (g/m ² .month)
10156880019	D1	7/09/2015	8/10/2015	31	I	0.5	0.2	0.3
10156880020	D2	7/09/2015	8/10/2015	31	I	0.4	0.1	0.3
10156880021	D3	7/09/2015	8/10/2015	31	I	0.8	0.4	0.4
10156880022	D4	7/09/2015	8/10/2015	31	I	0.4	0.2	0.2
10156880023	D5	7/09/2015	8/10/2015	31	BI	1.3	0.5	0.8
10156880024	D6	7/09/2015	8/10/2015	31	I	0.5	0.2	0.3
Annual Average Long Term Limit (4g/m ² per month)						4.0	--	--

4.2.1 Glossary of Terms Used in Notes

I Insects (eg, Ants, Spiders)

BI Bird droppings and Insects

4.2.2 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m² per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to 1.6g/m² per month, which is below the allowable Annual Average Long Term Limit of 4g/m² per month.

Depositional Dust monitoring locations are shown in **Appendix 1**. Graphical Depositional Dust results are shown in **Appendix 2**.

5 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

6 NOISE MONITORING RESULTS

Routine quarterly noise monitoring was undertaken this month. Results are presented in RCA Australia Report No. 6880-N134 Pine Dale Mine Operation Attended Noise October 2015.

7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since April 2014.

8 SUMMARY

During the month of October 2015 all environmental monitoring constituents were found to be in compliance with EPL 4911.

Rolling annual averages from both the TSP and PM₁₀ High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM₁₀ criterion of 90µg/m³ and 30µg/m³ respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m².month based upon a rolling average of the past 12 months.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Please contact the undersigned if you have any queries.

Yours sincerely





Carmen Rocher
Environmental Engineer
RCA Australia Pty Ltd trading as
RCA Laboratories – Environmental



Karen Tripp
Senior Environmental Scientist/Hygienist
RCA Australia Pty Ltd trading as
RCA Laboratories – Environmental

Appendix 1

Surface Water Groundwater and Air Quality Monitoring Locations



Locality Plan
N.T.S.

- LEGEND**
- Surface water monitoring location
 - Groundwater monitoring location
 - Enhance groundwater monitoring location
 - Meteorological monitoring location


Aerial Image taken from Google Earth,
November 12 2014




**PINE DALE MINE
SURFACE AND GROUND WATER
MONITORING LOCATION PLAN**

CLIENT	Pine Dale Mine	RCA Ref	6880-888/0
DRAWN BY	KT	SCALE	1 : 20,000 (A3)
APPROVED BY	KT	DATE	27/8/2015
		DRAWING No	1
		OFFICE	NEWCASTLE
		REV	0

G:\Projects\2015\20150827_Pine Dale Mine\20150827_Pine Dale Mine.dwg



COT-DWC-ASH-001/1



Locality Plan
N.T.S.


- LEGEND**
- Depositional dust monitoring location
 - High volume air sampling location
 - Meteorological monitoring location

Aerial Image taken from Google Earth,
November 12 2014



**PINE DALE MINE
DEPOSITIONAL DUST AND HVAS
MONITORING LOCATION PLAN**

CLIENT	Pine Dale Mine	RCA Ref	6880-888/0
DRAWN BY	KT	SCALE	1 : 20,000 (A3)
APPROVED BY	KT	DATE	27/8/2015
		DRAWING No	2
		REV	0
		OFFICE	NEWCASTLE



**PINE DALE MINE
NOISE MONITORING
LOCATION PLAN**


CLIENT	Pine Dale Mine			RCA Ref	6880-888/0
DRAWN BY	KT	SCALE	1 : 20,000 (A3)	DRAWING No	3 REV 0
APPROVED BY	KT	DATE	27/8/2015	OFFICE	NEWCASTLE

S:\Projects\6880-888\03\71


Appendix 2

Depositional Dust and HVAS Graphs


**Pine Dale Mine
Depositional Dust Gauge Comparative Results
September 2015 to October 2015**




**Pine Dale Mine
Deposited Matter - Insoluble Solids 12 Months Comparative Results
November 2014 to October 2015**



**Pine Dale Mine
TSP & PM₁₀ Results
September 2015 to October 2015**







**Pine Dale Mine
TSP & PM₁₀ HVAS 12-Month Comparative Results
November 2014 to October 2015**




Appendix 3

Meteorological Data






Blackmans Flat NSW
Average Solar Radiation- Period: 1/10/2015 to 31/10/2015



Blackmans Flat Windrose

1/10/2015 to 31/10/2015

N



Source data:
Metford.SCM
10 minutely data - Ave WndDir (deg)
10 minutely data - Ave WindSpd (m/sec)